





























Al Keswa General Trading








No.	Category	Photo	Description of Item	Item NO.	Spec.	MOQ
1	LED DOWN LIGHT		Watts : 5 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 420-490 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø103x40 Cut-Out: Ø85 Angle: 75 degree Ra:>80	LP-COB05B	5W	1000
2	LED DOWN LIGHT		Watts : 10 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 850-1050 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø130x56 Cut-Out: Ø115 Angle: 75 degree Ra:>80	LP-COB10B	10W	1000
3	LED DOWN LIGHT		Watts :20 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 1750-1950 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø195x61 Cut-Out: Ø175 Angle: 75 degree Ra:>80	LP-COB20B	20W	1000
4	LED DOWN LIGHT		Watts : 30WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 2700-2900 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø235x67 Cut-Out: Ø215 Angle: 75 degree Ra:>80	LP-COB30B	30W	1000
5	LED DOWN LIGHT		Watts : 10 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 850-1050 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 130x130x56 Cut-Out: Ø115 Angle: 75 degree Ra:>80	LP-COB10B-F	10W	1000
6	LED DOWN LIGHT		Watts :20 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 1750-1950 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 190x190x61 Cut-Out: Ø175 Angle: 75 degree Ra:>80	LP-COB20B-F	20W	1000
7	LED DOWN LIGHT		Watts : 30WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 2700-2900 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø235x235x67 Cut-Out: Ø215 Angle: 75 degree Ra:>80	LP-COB30B-F	30W	1000








8	LED DOWN LIGHT		<p>Watts : 10 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 850-1050 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 130x130x56 Cut-Out: Ø115</p>	Angle: 75 degree Ra:>80	LP-COB10B-L	10W	1000
9	LED DOWN LIGHT		<p>Watts :20 WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 1750-1950 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 190x190x61 Cut-Out: Ø175</p>	Angle: 75 degree Ra:>80	LP-COB20B-L	20W	1000
10	LED DOWN LIGHT		<p>Watts : 30WATT Input: AC 90-260V~ 50/60Hz Lumen: More than 2700-2900 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: Ø235x235x67 Cut-Out: Ø215</p>	Angle: 75 degree Ra:>80	LP-COB30B-L	30W	1000
11	LED DOWN LIGHT		<p>Wattage : 5w AC 90-260V~ 50/60Hz Led chip 5730*12PCS Lumen:360-450lm Life time: >30000 hours Color temperature: 2700k/6500k</p>		LPDL-5A-Y 5W	5W	1000
12	LED DOWN LIGHT		<p>Wattage : 10w AC 90-260V~ 50/60Hz Led chip 5730*24PCS Lumen:750-850lm Life time: >30000 hours Color temperature: 2700k/6500k</p>		LPDL-10A-Y 10W	10W	1000
13	LED DOWN LIGHT				LPDL-10A-F 10W	10W	1000
14	LED DOWN LIGHT		<p>Wattage : 20w AC 90-260V~ 50/60Hz Led chip 5730*36PCS Lumen:1650-1850lm Life time: >30000 hours Color temperature: 2700k/6500k</p>		LPDL-20A-Y 20W	20W	1000
15	LED DOWN LIGHT				LPDL-20A-F 20W	20W	1000
16	LED DOWN LIGHT		<p>Wattage : 30w AC 90-260V~ 50/60Hz Led chip 5730*58PCS Lumen:2600-2800lm Life time: >30000 hours Color temperature: 2700k/6500k</p>		LPDL-30A-Y 30W	30W	1000
17	LED DOWN LIGHT				LPDL-30A-F 30W	30W	1000
18	LED DOWN LIGHT		<p>Power: 3W Input: 100-240V Product Size: 90*28mm Cutout size: 70-80mm Material:Aluminum Lifetime: 30,000H Guarantee:3 Years Color Temperature: Warm,Natural,Cool</p>		LP-DL03E03-Y	3w	1000
19	LED DOWN LIGHT		<p>Power: 6W Input: 100-240V Product Size: 90*28mm Cutout size: 70-80mm Material:Aluminum Lifetime: 30,000H Guarantee:3 Years Color Temperature: Warm,Natural,Cool</p>		LP-DL06E03-Y	6W	1000








20	LED DOWN LIGHT		Power:8W Product Size: 110*28mm Material:Aluminum Guarantee:3 Years	Input: 100-240V Cutout size: 90-100mm Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL08E03-Y	8W	1000
21	LED DOWN LIGHT		Power: 12W Material:Aluminum Guarantee:3 Years	Input: 160-240V Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL12E03-Y	12W	1000
22	LED DOWN LIGHT		Power: 18W 30,000H Color Temperature: Warm,Natural,Cool	Material:Aluminum Lifetime: Guarantee:3 Years	LP-DL18E03-Y	18W	1000
23	LED DOWN LIGHT		Power: 26W 8' Product Size: 225mm IP: 20 Beam Angle: 105° Color Temperature: Warm,Natural,Cool	Input: 90-240V Cutout size: 205-215mm Material:Aluminum Lifetime: 30,000H Guarantee:3 Years	LP-DL26E03-Y1	26W	1000
24	LED DOWN LIGHT		Power: 3W Product Size: 90*28mm Material:Aluminum Guarantee:3 Years	Input: 100-240V Cutout size: 70-80mm Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL03E03-F	3w	1000
25	LED DOWN LIGHT		Power: 6W Product Size: 90*28mm Material:Aluminum Guarantee:3 Years	Input: 100-240V Cutout size: 70-80mm Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL06E03-F	6W	1000
26	LED DOWN LIGHT		Power: 8W Product Size: 110*28mm Material:Aluminum Guarantee:3 Years	Input: 100-240V Cutout size: 90-100mm Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL08E03-Y	8w	1000
27	LED DOWN LIGHT		Power: 12W Material:Aluminum Guarantee:3 Years	Input: 160-240V Lifetime: 30,000H Color Temperature: Warm,Natural,Cool	LP-DL12E03-F	12W	1000
28	LED DOWN LIGHT		Power: 18W 30,000H Color Temperature: Warm,Natural,Cool	Material:Aluminum Lifetime: Guarantee:3 Years	LP-DL18E03-F	18W	1000
29	E Series LED Downlight		Power: 26W 8' Product Size: 225mm IP: 20 Beam Angle: 105° Color Temperature: Warm,Natural,Cool	Input: 90-240V Cutout size: 205-215mm Material:Aluminum Lifetime: 30,000H Guarantee:3 Years	LP-DL26E03-Y1	26W	1000.00








30	LED DOWN LIGHT		Power:12W 4' Product Size: 153*58mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 920-1060lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL12K01-YE	12w	1000	
31	LED DOWN LIGHT		Power:18W 6' Product Size: 200*60mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 1160-1350lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL18K01-YE	18w	1000	
32	LED DOWN LIGHT		Power:26W 8' Product Size: 230*63mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 1930-2200lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL26K01-YE	26w	1000	
33	LED DOWN LIGHT		Power:12W 4' Product Size: 153*58mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 920-1060lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL12K01-FE	12w	1000	
34	LED DOWN LIGHT		Power:18W 6' Product Size: 200*60mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 1160-1350lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL18K01-FE	18w	1000	
35	LED DOWN LIGHT		Power:26W 8' Product Size: 230*63mm IP:20 Material:PC+Aluminum Beam Angle: 120° Ra:80 Color Temperature: Warm,Natural,Cool	Input: 160-240V Lumen: 1930-2200lm Lifetime: 30,000H Guarantee: 3 Years	LP-DL18K01-FE	26w	1000	
36	E Series LED Ceiling Light		Power: 3W Product Size: 90*28mm IP:20 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 70-80mm Material:Aluminum Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Lumen:240-320lm Lifetime: Lifetime:	LP-CL03E01-Y	3W	1000








37	E Series LED Ceiling Light		Power: 5W Product Size: 90*28mm 480lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 70-80mm Material:Aluminum	Lumen:380- Lifetime:	LP-CL05E01-Y	5W	1000
38	E Series LED Ceiling Light		Power: 7W Product Size: 110*28mm 680lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 90-100mm Material:Aluminum	Lumen:550 Lifetime:	LP-CL07E01-Y	7W	1000
39	E Series LED Ceiling Light		Power: 12W Product Size: 136*28mm Lumen:1100-1200lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size:110-120mm Material:Aluminum	Lumen: Lifetime:	LP-CL12E01-Y	12W	1000
40	E Series LED Ceiling Light		Power: 3W Product Size: 90*28mm 320lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 70-80mm Material:Aluminum	Lumen:240- Lifetime:	LP-CL03E02-Y	3W	1000
41	E Series LED Ceiling Light		Power: 5W Product Size: 90*28mm 480lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 70-80mm Material:Aluminum	Lumen:380- Lifetime:	LP-CL05E02-Y	5W	1000
42	E Series LED Ceiling Light		Power: 7W Product Size: 110*28mm 680lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 90-100mm Material:Aluminum	Lumen:550 Lifetime:	LP-CL07E02-Y	7W	1000
43	E Series LED Ceiling Light		Power: 12W Product Size: 136*28mm Lumen:1100-1200lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size:110-120mm Material:Aluminum	Lumen: Lifetime:	LP-CL12E02-Y	12W	1000





44	E Series LED Ceiling Light		<p>Power: 3W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:240-320lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL03E05-Y	3W	1000
45	E Series LED Ceiling Light		<p>Power: 5W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:380-480lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL05E05-Y	5W	1000
46	E Series LED Ceiling Light		<p>Power: 3W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:240-320lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL03E06-Y	3W	1000
47	E Series LED Ceiling Light		<p>Power: 5W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:380-480lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL05E06-Y	5W	1000
48	E Series LED Ceiling Light		<p>Power: 3W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:240-320lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL03E01-F	3W	1000
49	E Series LED Ceiling Light		<p>Power: 5W Input: 100-240V</p> <p>Product Size: 90*28mm Cutout size: 70-80mm Lumen:380-480lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL05E01-F	5W	1000
50	E Series LED Ceiling Light		<p>Power: 7W Input: 100-240V</p> <p>Product Size: 110*28mm Cutout size: 90-100mm Lumen:550-680lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 30°</p> <p>Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-CL07E01-F	7W	1000

51	E Series LED Ceiling Light		Power: 12W Product Size: 136*28mm Lumen:1100-1200lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size:110-120mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL12E01-F	12W	1000
52	E Series LED Ceiling Light		Power: 3W Product Size: 90*28mm Lumen:240-320lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 70-80mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL03E02-F	3W	1000
53	E Series LED Ceiling Light		Power: 5W Product Size: 90*28mm Lumen:480lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 70-80mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL05E02-F	5W	1000
54	E Series LED Ceiling Light		Power: 7W Product Size: 110*28mm Lumen:680lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 90-100mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL07E02-F	7W	1000
55	E Series LED Ceiling Light		Power: 12W Product Size: 136*28mm Lumen:1100-1200lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size:110-120mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL12E02-F	12W	1000
56	E Series LED Ceiling Light		Power: 3W Product Size: 90*28mm Lumen:240-320lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 70-80mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL03E05-F	3W	1000
57	E Series LED Ceiling Light		Power: 5W Product Size: 90*28mm Lumen:480lm Lifetime: 30,000H Guarantee: 3 Years	Input: 100-240V Cutout size: 70-80mm IP:20 Beam Angle: 30° Color Temperature: Warm,Natural,Cool	Material:Aluminum	LP-CL05E05-F	5W	1000

58	E Series LED Ceiling Light		Power: 3W Product Size: 90*28mm 320lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 70-80mm Materal:Aluminum	Lumen:240- Lifetime: Color Temperature: Warm,Natural,Cool	LP-CL03E06-F	3W	1000
59	E Series LED Ceiling Light		Power: 5W Product Size: 90*28mm 480lm 30,000H Guarantee: 3 Years	Input: 100-240V IP:20 Beam Angle: 30°	Cutout size: 70-80mm Materal:Aluminum	Lumen:380- Lifetime: Color Temperature: Warm,Natural,Cool	LP-CL05E06-F	5W	1000
60	E Series LED Integrated Downlight		Power: 3W Product Size:92*50mm 210lm Lifetime:30,000H Guarantee: 3 Years	Input: 160-240V IP: 20 Beam Angle:105°	Cutout size:75-85mm Materal:PC	Lumen: 185- Color Temperature: Warm,Natural,Cool	LP-DL03EH03-Y1	3W	1000
61	E Series LED Integrated Downlight		Power: 5W Product Size:92*50mm 370lm Lifetime:30,000H Guarantee: 3 Years	Input:160-240V IP: 20 Beam Angle:105°	Cutout size:75-85mm Materal:PC	Lumen: 320- Color Temperature: Warm,Natural,Cool	LP-DL05EH03-Y1	5W	1000
62	E Series LED Integrated Downlight		Power: 7W Product Size:114*50mm 450-520lm Lifetime:30,000H Guarantee: 3 Years	Input:160-240V IP: 20 Beam Angle:105°	Cutout size:95-105mm Materal:PC	Lumen: Color Temperature: Warm,Natural,Cool	LP-DL07EH03-Y1	7W	1000
63	E Series LED Integrated Downlight		Power: 9W Product Size:114*50mm Lumen:560-650lm Lifetime:30,000H Color Temperature: Warm,Natural,Cool	Input:160-240V IP: 20	Cutout size:95-105mm Materal:PC	Guarantee: 3 Years	LP-DL09EH03-Y1	9W	1000
64	E Series LED Integrated Downlight		Power: 3W Product Size:92*50mm 210lm Lifetime:30,000H Color Temperature: Warm,Natural,Cool	Input:160-240V IP: 20	Cutout size:75-85mm Materal:PC	Lumen: 185- Guarantee: 3 Years	LP-DL03EH03-Y2	3W	1000









65	E Series LED Integrated Downlight		Power: 5W Product Size:92*50mm 370lm Lifetime:30,000H Guarantee: 3 Years	Input:160-240V Cutout size:75-85mm IP: 20 Beam Angle:105° Color Temperature: Warm,Natural,Cool	Lumen: 320- Material:PC	LP-DL05EH03-Y2	5W	1000	
66	E Series LED Integrated Downlight		Power: 7W Product Size:114*50mm 450-520lm Lifetime:30,000H Guarantee: 3 Years	Input:160-240V Cutout size:95-105mm IP: 20 Beam Angle:105° Color Temperature: Warm,Natural,Cool	Lumen: Material:PC	LP-DL07EH03-Y2	7W	1000	
67	E Series LED Integrated Downlight		Power: 9W Product Size:114*50mm Lumen:560-650lm Lifetime:30,000H Guarantee: 3 Years	Input:160-240V Cutout size:95-105mm IP: 20 Beam Angle:105° Color Temperature: Warm,Natural,Cool	Lumen: Material:PC	LP-DL09EH03-Y2	9W	1000	
68	LED Bulb		Power: 3W Product Size:52*97mm 20 Beam Angle:180° Color Temperature: Warm,Natural,Cool	Input: 160-240 Material:PC+Aluminum	Base: E27/B22 Lumen:170-220lm Lifetime: 30,000H Guarantee: 3 Years	IP:	LPQP3CLEW-W	3W	3000
69	LED Bulb		Power: 5W Product Size:110*60mm IP: 20 Beam Angle:180° Color Temperature: Warm,Natural,Cool	Input: 160-240 Material:PC+Aluminum	Base: E27/B22 Lumen:390-450lm Lifetime: 30,000H Guarantee: 3 Years		LPQP5CLEW-W	5W	3000
70	LED Bulb		Power: 7W Product Size:110*60mm IP: 20 Beam Angle:180° Color Temperature: Warm,Natural,Cool	Input: 160-240 Material:PC+Aluminum	Base: E27/B22 Lumen:590-680lm Lifetime: 30,000H Guarantee: 3 Years		LPQP7CLEW-W	7W	3000
71	LED Bulb		Power: 9W Product Size:120*70mm IP: 20 Beam Angle:180° Color Temperature: Warm,Natural,Cool	Input: 160-240 Material:PC+Aluminum	Base: E27/B22 Lumen:680-790lm Lifetime: 30,000H Guarantee: 3 Years		LPQP9CLEW-W	9W	3000








72	LED Bulb		Power: 12W Input: 160-240 Base: E27/B22 Product Size:120*70mm Lumen:980-1130lm IP: 20 Material:PC+Aluminum Lifetime: 30,000H Beam Angle:180° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool	LPQP12CLEW-W	12W	3000
73	LED Bulb		Power: 5W Input: 160-240 Base: E27/B22 Product Size:110*60mm Lumen:390-450lm IP: 20 Material:PC+Aluminum Lifetime: 30,000H Beam Angle:180° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool	LPQP5CLEW-W	5W	3000
74	LED Bulb		Power: 7W Input: 160-240 Base: E27/B22 Product Size:110*60mm Lumen:590-680lm IP: 20 Material:PC+Aluminum Lifetime: 30,000H Beam Angle:180° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool	LPQP7CLEW-W	7W	3000
75	LED Bulb		Power: 9W Input: 160-240 Base: E27/B22 Product Size:120*70mm Lumen:680-790lm IP: 20 Material:PC+Aluminum Lifetime: 30,000H Beam Angle:180° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool	LPQP9CLEW-W	9W	3000
76	LED Bulb		Power: 12W Input: 160-240 Base: E27/B22 Product Size:120*70mm Lumen:980-1130lm IP: 20 Material:PC+Aluminum Lifetime: 30,000H Beam Angle:180° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool	LPQP12CLEW-W	12W	3000
77	LED Project Integrated Ceiling Light		Power: 90W Input: 90-240V Lumen: 6300-7250lm Product Size: 1500*295*H Lifetime: 30,000H IP: 20 Material:Aluminum Guarantee: 3 Years Color Temperature:Warm,Natural,Cool	LP-PI150A	90W	1000
78	LED Project Integrated Ceiling Light		Power: 210W Input: 90-240V Lumen: 14700-16900lm Product Size: 3000*295*H Lifetime: 30,000H IP: 20 Material:Aluminum Guarantee: 3 Years Color Temperature:Warm,Natural,Cool	LP-PI300A	210W	1000








79	LED Spotlight		Power: 3W Product Size: 49*56mm Lifetime:30,000H Guarantee:3 Years	Input: 160-240V Lumen: 220-280lm Beam Angle: 35° Color Temperature:Warm,Natural,Cool	Base: GU10/GU5.3/E27 IP: 20	LPSL03A01	3W	1000
80	LED Spotlight		Power: 5W Product Size: 49*56mm Lifetime:30,000H Guarantee:3 Years	Input: 160-240V Lumen: 380-480lm Beam Angle: 35° Color Temperature:Warm,Natural,Cool	Base: GU10/GU5.3/MR16/E27 IP: 20	LPSL05A01	5W	1000
81	LED Spotlight		Power: 7W GU10/GU5.3/MR16/E27 Lumen: 450-550lm Beam Angle: 35° Color Temperature:Warm,Natural,Cool	Input: 160-240V IP: 20 Ra:80	Base: Product Size: 49*63mm Lifetime:30,000H Guarantee:3 Years		7W	1000
82	LED Spotlight		Power: 7W GU10/GU5.3/MR16/E27 Lumen: 450-550lm Beam Angle: 35° Color Temperature:Warm,Natural,Cool	Input: 160-240V IP: 20 Ra:80	Base: Product Size: 49*63mm Lifetime:30,000H Guarantee:3 Years		7W	1000
83	LED Flood Light		voltage:100-240V frequency:50/60HZ lumen:1050-1170 size:153*67*146mm color tempera:cool/warm life time:30000H	IP67		LPFL-10C01	10W	1000
84	LED Flood Light		voltage:100-240V frequency:50/60HZ lumen:2270-2380 size:199*67*197mm color tempera:cool/warm life time:30000H	IP67		LPFL-20C01	20W	1000
85	LED Flood Light		voltage:100-240V frequency:50/60HZ lumen:3090-3210 size:239*69*231mm color tempera:cool/warm life time:30000H	IP67		LPFL-30C01	30W	1000
86	LED Flood Light		voltage:100-240V frequency:50/60HZ lumen:5220-5350 size:370*77*248mm color tempera:cool/warm life time:30000H	IP67		LPFL-50C01	50W	1000
87	Sensor LED Flood Light		Power: 50W Sensor Product Size: 226*192*55mm IP: 65 Beam Angle:45° Color Temperature:Warm,Natural,Cool	Input: 100-240V Material:Aluminum	Lumen: 3480-3780lm Lifetime:30,000H Guarantee:3 Years	LPFL-50B01	50W	1000








88	RGB LED Flood Light		Power: 30W RGB Input: 100-240V Product Size: 185*152*55mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 1940-2450lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-30B01	30W	1000
89	LED Flood Light		Power: 10W Input: 100-240V Product Size: 135*125*44mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 600-690lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-10A01	10W	1000
90	LED Flood Light		Power: 20W Input: 100-240V Product Size: 195*152*51mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 1200-1380lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-20A01	20W	1000
91	LED Flood Light		Power: 30W Input: 100-240V Product Size: 238*196*51mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 1800-2060lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-30A01	30W	1000
92	LED Flood Light		Power: 50W Input: 100-240V Product Size: 313*242*61mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 3380-3880lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-50A01	50W	1000
93	LED Flood Light		Power: 70W Input: 100-240V Product Size: 380*283*105mm IP: 65 Material: Aluminum Beam Angle: 45° Color Temperature: Warm, Natural, Cool	Lumen: 4620-5300lm Lifetime: 30,000H Guarantee: 3 Years	LPFL-70A01	70W	1000
94	B Series Track Light		Power: 20W Input: 90-260V Product Size: 120*135*38mm IP: 20 Ra: 90 Beam Angle: 25° Guarantee: 3 Years Color Temperature: Warm, Natural, Cool	Lumen: 1830-2110lm Material: Aluminum Lifetime: 30,000H	LPTRL-20B02	20W	1000








95	B Series Track Light		Power:35W Product Size:170*190*38mm IP: 20 Beam Angle:25° Guarantee: 3 Years	Input:90-260V Ra:90 Lifetime: 30,000H Color Temperature:Warm,Natural,Cool	Lumen:2800-3450lm Material:Aluminum	LPTRL-35B02	35W	1000
96	C Series Track Light		Power:35W Product Size:100*124*243mm Beam Angle:25° Material:Aluminum Guarantee: 3 Years	Input:90-260V IP: 20 Lifetime: 30,000H Color Temperature:Warm,Natural,Cool	Lumen:2800-3450lm Ra:85	LPTRL-35D02	35W	1000
97	led louver fitting		Wattage : 32w(+/-10%) Input: AC 90-260V~ 50/60Hz Led chip 2835*4*80 Lumen: 2000-2400 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 600x600 Cut-Out: 577x577			LED.JD.F.V 4X8W	32W	1000
98	led louver fitting		Wattage : 24w (+/-10%) Input: AC 90-260V~ 50/60Hz Led chip 2835*3*80 Lumen:1500-1750 lm Life time: >30000 hours Color temperature: 2700k/6500k Size: 600x600 Cut-Out: 577x577			LED.JD.F.V 3X8W	24W	1000
99	LED PANEL LIGHT		Power: 40W Lifetime:30,000H Guarantee: 3 Years	Input: 160-240V Temperature:cool product size:598*598		LED.LJ.F 40W	40W	1000
100	LED PANEL LIGHT		Power: 36W Lifetime:30,000H Guarantee: 3 Years	Input: 160-240V Temperature:Warm product size:600*600		LED.LJ.F B 36W	36W	1000
101	T5 Integrated LED Tube		Watts: 4w Voltage:160v-240v Type: T5 0.3m, Ellipse Lumen:320-360LM Life time: >30000H Color temperature: 2700k/6500k	PC Cover,Aluminum Base		LPTL04D05	4W	1000
102	T5 Integrated LED Tube		Watts: 8w Voltage:160v-240v Type: T5 0.6m, Ellipse Lumen:640-720LM Life time: >30000H Color temperature: 2700k/6500k	PC Cover,Aluminum Base		LPTL08D05	8W	1000
103	T5 Integrated LED Tube		Watts: 12w Voltage:160v-240v Type: T5 0.9m, Ellipse Lumen:960-1080LM Life time: >30000H Color temperature: 2700k/6500k	PC Cover,Aluminum Base		LPTL12D05	12W	1000
104	T5 Integrated LED Tube		Watts: 16w Voltage:160v-240v Type: T5 1.2m, Ellipse Lumen:1280-1440LM Life time: >30000H Color temperature: 2700k/6500k	PC Cover,Aluminum Base		LPTL16D05	16W	1000

105	T8 Integrated LED Tube		<p>Watts : 8w Input: AC 200-240V~ 50/60Hz Lumen Efficiency:more than 80lm/w Life time: >30000 hours Color temperature: 2700k/6500k Square Frosted PC cover 3 years warranty Single led strip 0.6M</p>	LPTL08D04	8W	1000
106	T8 Integrated LED Tube		<p>Watts : 20w Input: AC 200-240V~ 50/60Hz Lumen Efficiency:more than 80lm/w Life time: >30000 hours Color temperature: 2700k/6500k Square Frosted PC cover 3 years warranty Single led strip 1.2M</p>	LPTL20D04	20W	1000
107	T8 Integrated LED Tube		<p>Watts : 2*8w Input: AC 200-240V~ 50/60Hz Lumen Efficiency:more than 80lm/w Life time: >30000 hours Color temperature: 2700k/6500k Square Frosted PC cover 3 years warranty Double led strips 0.6M</p>	LPTL08D04-2	16W	1000
108	T8 Integrated LED Tube		<p>Watts : 2*16w Input: AC 200-240V~ 50/60Hz Lumen Efficiency:more than 80lm/w Life time: >30000 hours Color temperature: 2700k/6500k Square Frosted PC cover 3 years warranty Double led strips 1.2M</p>	LPTL16D04-2	32W	1000
109	LED tube		<p>LED SIZE:2835,10W T8 0.6M,800-900LM 130 ANGLE,>30000H Tube diameter:26mm(G13) warm white/pure white, ellipse transparent cover/frosted cover 3 Years warranty</p>	LPTL16D04-2	8w	1000
110	LED tube		<p>LED SIZE:2835,20W T8 1.2M,1600-1800LM 130 ANGLE,>30000H Tube diameter:26mm(G13) warm white/pure white, ellipse transparent cover/frosted cover 3 Years warranty</p>	LPTL20C02	16w	1000
111	F Seires COB LED Ceiling Light		<p>Power: 3W Input: 100-240V Product Size: 90*35mm Cutout size: 70-80mm Lumen: 310-360lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 35° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-COB03F01-Y1	3W	1000
112	F Seires COB LED Ceiling Light		<p>Power: 5W Input: 100-240V Product Size: 90*35mm Cutout size: 70-80mm Lumen: 520-580lm IP:20 Material:Aluminum Lifetime: 30,000H Beam Angle: 35° Guarantee: 3 Years Color Temperature: Warm,Natural,Cool</p>	LP-COB05F01-Y1	5W	1000

113	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F01-Y1	7W	1000
114	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F01-Y1	12W	1000
115	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F02-Y1	3W	1000
116	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F02-Y1	5W	1000
117	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F02-Y1	7W	1000
118	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F02-Y1	12W	1000
119	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F05-Y1	3W	1000

120	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F05-Y1	5W	1000
121	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F05-Y1	7W	1000
122	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F05-Y1	12W	1000
123	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F06-Y1	3W	1000
124	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F06-Y1	5W	1000
125	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F06-Y1	7W	1000
126	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F06-Y1	12W	1000

127	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F01-F1	3W	1000
128	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F01-F1	5W	1000
129	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F01-F1	7W	1000
130	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F01-F1	12W	1000
131	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F02-F1	3W	1000
132	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F02-F1	5W	1000
133	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F02-F1	7W	1000

134	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F02-F1	12W	1000
135	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F05-F1	3W	1000
136	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F05-F1	5W	1000
137	F Seires COB LED Ceiling Light		<p>Power: 7W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F05-F1	7W	1000
138	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F05-F1	12W	1000
139	F Seires COB LED Ceiling Light		<p>Power: 3W Product Size: 90*35mm Lumen: 310-360lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB03F06-F1	3W	1000
140	F Seires COB LED Ceiling Light		<p>Power: 5W Product Size: 90*35mm Lumen: 520-580lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 70-80mm IP:20 Lifetime: 30,000H</p> <p>Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB05F06-F1	5W	1000

141	F Seires COB LED Ceiling Light		<p>Power: 8W Product Size: 110*50mm Lumen: 720-820lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 90-100mm IP:20 Lifetime: 30,000H Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB08F06-F1	8W	1000
142	F Seires COB LED Ceiling Light		<p>Power: 12W Product Size: 136*65mm Lumen: 1100-1250lm Materal:Aluminum Beam Angle: 35° Years</p> <p>Input: 100-240V Cutout size: 120-130mm IP:20 Lifetime: 30,000H Color Temperature: Warm,Natural,Cool</p> <p>Guarantee: 3</p>	LP-COB12F06-F1	12W	1000
143	high bay light		<p>Watts: 50W PF>0.95 Led Chips:5730*100pcs Input: AC160-240V Lumen: 4000-4500 lm RA≥80 Life time: >30000 hours Color temperature:2700- 6500k</p> <p>SIZE:37.5*28CM</p>		50W	1000
144	high bay light		<p>Watts: 70W PF>0.95 Led Chips:5730*140pcs Input: AC160-240V Lumen: 5600-6300 lm RA≥80 Life time: >30000 hours Color temperature:2700- 6500k</p> <p>SIZE:37.5*28CM</p>		70W	1000